INDEX TO VOLUME 35

Compiled by SUE KELLER

New names and combinations and the pages of publication are printed in **boldface.**

Abies 375
Acanthaceae 362–366; Justicieae 364; Justiciinae 364; Odontoneminae 364; Rhytiglossinae 364
Acrobolbus: *ciliatus* 280; *concinnus* 280; *lophocoleoides* 280; *ochrophyllus* 291
Acrolejeunea emergens 294
Acromastigum: *colensoanum* 292; *integrifolium* 280
Acroporium 309, 310; *brevicuspidatum* 309, 310; **caespitosum 310**; *gossypii* 372; *jamaicense* 310; *lamprophyllum* 309, 310; **longirostre 311**; *macrorhynchum* 310; *turgidum* 310
Additions to Neotropical Dichapetalaceae, by Ghillean T. Prance 49–54
Adelanthus 274
Adelocolia 274
Agaricales 367–369
Agaricus: *caryophylleus* 325; *oreades* 325
Agrimonia striata 197
Agropyron 30, 31; *albicans* 31; *arizonicum* 31; *cristatum* 30; *dasystachyum* 31; *elmeri* 31; *griffithsii* 31; *inerme* 31; *psammophilum* 31; *riparium* 31; *smithii* 31; *spicatum* 31, 153; *trachycaulum* 30; *yukonense* 31
Agrostis 377
Alangium 162
ALLEN, GERALDINE A., MILTON L. DEAN & KENTON L. CHAMBERS, Hybridization studies in the *Aster occidentalis* (Asteraceae) polyploid complex of western North America 353–361
Allionia: *melanotricha* 200; *pratensis* 200
Allium hoffmanii 180, 183
Allozyme variation in *Bidens discoidea* (Compositae), by Marvin L. Roberts 239–247
ALMEDA, FRANK, Three new Mesoamerican species of *Miconia* (Melastomataceae) 42–48
Alonsoa 112
Altingia 96
Alzatea 95
Amblystegiaceae 87–92
Amelanchier alnifolia 153
Anastrophyllum: *assimile* 281; *nigrescens* 282
ANDERSON, LORAN C., *Chrysothamnus eremobius* (Asteraceae): A new species from Nevada 23–27
ANDERSON, WILLIAM R., *Lophanthera*, a genus of Malpighiaceae new to Central America 37–41
Andrewsianthus bilobus 280
Anechites 222–231; *adglutinata* 224, 229; *agglutinata* 224; (?) *amazonica* 230; *asperuginis* 223, 224, 228; *circinalis* 224, 230; *lappulacea* 224, 228, var. *asperuginis* 228; *nerium* map 223, 228, figs. 224–226; *revoluta* 224, 230; *thomasiana* 224, 230
Angelonia 111; *linarioides* 113; *micrantha* 111, 112, var. *perennis* 113
Anthoceros: *colensoi* 274; *decurvus* 274; *flagellaris* 274; *jamesonii* 274; *minutus* 274
Aphyllophorales 367
Apocynaceae 222–231; Cerberoideae 227; Plumerioideae 227; Cerbereae 227; Echiteae 227; Mesechiteae 227; Plumerieae 227; Rauvolfieae 227; Vinceae 227; Anechitiinae 227; Condylocarpinae 227; Rauvolfiinae 227
Apocynum: *nerium* 222, 228; *scandens* 228
Aptychus: *apaloblastus* 330; *longicollis* 330
Arabis tricornuta 200
Arceuthobium: *blumeri* 200; *campylopodum* f. *blumeri* 200
Archilejeunea: *abbreviata* 282; *mariana* 287
Arctostaphylos pungens 197
Aristolochia: *arborea* 173, key 173; *belizensis* 171, 172; *bullata* 171–173, key 173; *chapmaniana* 171, 172; **cruenta 171**, 172; *gigantea* 172; *maxima* 171, 172, var. *cordata* 172; *ovalifolia* 171, 172; *petenensis* 171, 173; **pfeiferi 171**; *ruiziana* 171, 172; *steyermarkii* 171, 173, key 173; *tonduzii* 171, 172
Aristolochiaceae 171–174, 331–334
Arizona: Jacob Corwin Blumer 197–203; *Coreopsis californica* 164
Arnoglossum 2, 11, 12, 17; *atriplicifolium* 9, 16, 20; *muehlenbergii* fig. 8, 9, 17, 20; *ovatum* 9, 17, 21; *plantagineum* 9, 17, 21
Artemisia 25; *tridentata* 110, 151
Asarum 331–334; *caudatum* 333, var. *viridiflorum* 331, 333; **wagneri 331–333**, fig. 332
Ascarina 96, 97
Ascarinopsis 94, 96, 97, 100
Ascomycotina 367
Asia: *Cypripedium* 159–163
Asplenium trichomanes 197
Aster 189–196, 353–361; subg. *Aster* 190; subg. *Symphyotrichum* 190; sect. *Dumosi* 190, 193; sect. *Occidentales* 193; sect. *Salicifolii* 193; subsect. *Foliacei* 193; subsect. *Salicifolii* 193; "*adscendens*" 194; *ascendens* 194, 354–360, figs. 355 & 356; *bernardinus* 194, fig. 356, 357, 358; *bracteolatus* 194, 354–359, figs. 355 & 356; *chilensis* 191, 195, 355–359, figs. 355 & 356; *cusickii* 191, 194; *douglasii* 195; *eatonii* 194, 355; *ericoides* 360; *falcatus* 360; *foliaceus* 189–196, 354–358, figs. 355 & 356, var. *apricus* 194, var. *canbyi* 194, fig. 355, 358, var. *lyallii* 194, var. *parryi* 194, figs. 355 & 356, 358, 359; *greatai* 192, 194, 355, fig. 355, 357, 358; *hallii* 192, 194, 195, 355–359, figs. 355 & 356; *hendersonii* 192, 194, 354, fig. 355, 357, 358; *hesperius* 192, 195, 357, 360; *jessicae* 192, 195; *laevis* 192, 195, 356–359, fig. 356; *lentus* 192, 194, 355–358, figs.

INDEX TO VOLUME 35

Compiled by SUE KELLER

New names and combinations and the pages of publication are printed in **boldface.**

Abies 375
Acanthaceae 362–366; Justicieae 364; Justiciinae 364; Odontoneminae 364; Rhytiglossinae 364
Acrobolbus: *ciliatus* 280; *concinnus* 280; *lophocoleoides* 280; *ochrophyllus* 291
Acrolejeunea emergens 294
Acromastigum: *colensoanum* 292; *integrifolium* 280
Acroporium 309, 310; *brevicuspidatum* 309, 310; **caespitosum 310**; *gossypii* 372; *jamaicense* 310; *lamprophyllum* 309, 310; **longirostre 311**; *macrorhynchum* 310; *turgidum* 310
Additions to Neotropical Dichapetalaceae, by Ghillean T. Prance 49–54
Adelanthus 274
Adelocolia 274
Agaricales 367–369
Agaricus: *caryophylleus* 325; *oreades* 325
Agrimonia striata 197
Agropyron 30, 31; *albicans* 31; *arizonicum* 31; *cristatum* 30; *dasystachyum* 31; *elmeri* 31; *griffithsii* 31; *inerme* 31; *psammophilum* 31; *riparium* 31; *smithii* 31; *spicatum* 31, 153; *trachycaulum* 30; *yukonense* 31
Agrostis 377
Alangium 162
ALLEN, GERALDINE A., MILTON L. DEAN & KENTON L. CHAMBERS, Hybridization studies in the *Aster occidentalis* (Asteraceae) polyploid complex of western North America 353–361
Allionia: *melanotricha* 200; *pratensis* 200
Allium hoffmanii 180, 183
Allozyme variation in *Bidens discoidea* (Compositae), by Marvin L. Roberts 239–247
ALMEDA, FRANK, Three new Mesoamerican species of *Miconia* (Melastomataceae) 42–48
Alonsoa 112
Altingia 96
Alzatea 95
Amblystegiaceae 87–92
Amelanchier alnifolia 153
Anastrophyllum: *assimile* 281; *nigrescens* 282
ANDERSON, LORAN C., *Chrysothamnus eremobius* (Asteraceae): A new species from Nevada 23–27
ANDERSON, WILLIAM R., *Lophanthera*, a genus of Malpighiaceae new to Central America 37–41
Andrewsianthus bilobus 280
Anechites 222–231; *adglutinata* 224, 229; *agglutinata* 224; (?) *amazonica* 230; *asperuginis* 223, 224, 228; *circinalis* 224, 230; *lappulacea* 224, 228, var. *asperuginis* 228; *nerium* map 223, 228, figs. 224–226; *revoluta* 224, 230; *thomasiana* 224, 230
Angelonia 111; *linarioides* 113; *micrantha* 111, 112, var. *perennis* 113
Anthoceros: *colensoi* 274; *decurvus* 274; *flagellaris* 274; *jamesonii* 274; *minutus* 274
Aphyllophorales 367
Apocynaceae 222–231; Cerberoideae 227; Plumerioideae 227; Cerbereae 227; Echiteae 227; Mesechiteae 227; Plumerieae 227; Rauvolfieae 227; Vinceae 227; Anechitiinae 227; Condylocarpinae 227; Rauvolfiinae 227
Apocynum: *nerium* 222, 228; *scandens* 228
Aptychus: *apaloblastus* 330; *longicollis* 330
Arabis tricornuta 200
Arceuthobium: *blumeri* 200; *campylopodum* f. *blumeri* 200
Archilejeunea: *abbreviata* 282; *mariana* 287
Arctostaphylos pungens 197
Aristolochia: *arborea* 173, key 173; *belizensis* 171, 172; *bullata* 171–173, key 173; *chapmaniana* 171, 172; **cruenta 171**, 172; *gigantea* 172; *maxima* 171, 172, var. *cordata* 172; *ovalifolia* 171, 172; *petenensis* 171, 173; **pfeiferi 171**; *ruiziana* 171, 172; *steyermarkii* 171, 173, key 173; *tonduzii* 171, 172
Aristolochiaceae 171–174, 331–334
Arizona: Jacob Corwin Blumer 197–203; *Coreopsis californica* 164
Arnoglossum 2, 11, 12, 17; *atriplicifolium* 9, 16, 20; *muehlenbergii* fig. 8, 9, 17, 20; *ovatum* 9, 17, 21; *plantagineum* 9, 17, 21
Artemisia 25; *tridentata* 110, 151
Asarum 331–334; *caudatum* 333, var. *viridiflorum* 331, 333; **wagneri 331–333**, fig. 332
Ascarina 96, 97
Ascarinopsis 94, 96, 97, 100
Ascomycotina 367
Asia: *Cypripedium* 159–163
Asplenium trichomanes 197
Aster 189–196, 353–361; subg. *Aster* 190; subg. *Symphyotrichum* 190; sect. *Dumosi* 190, 193; sect. *Occidentales* 193; sect. *Salicifolii* 193; subsect. *Foliacei* 193; subsect. *Salicifolii* 193; "*adscendens*" 194; *ascendens* 194, 354–360, figs. 355 & 356; *bernardinus* 194, fig. 356, 357, 358; *bracteolatus* 194, 354–359, figs. 355 & 356; *chilensis* 191, 195, 355–359, figs. 355 & 356; *cusickii* 191, 194; *douglasii* 195; *eatonii* 194, 355; *ericoides* 360; *falcatus* 360; *foliaceus* 189–196, 354–358, figs. 355 & 356, var. *apricus* 194, var. *canbyi* 194, fig. 355, 358, var. *lyallii* 194, var. *parryi* 194, figs. 355 & 356, 358, 359; *greatai* 192, 194, 355, fig. 355, 357, 358; *hallii* 192, 194, 195, 355–359, figs. 355 & 356; *hendersonii* 192, 194, 354, fig. 355, 357, 358; *hesperius* 192, 195, 357, 360; *jessicae* 192, 195; *laevis* 192, 195, 356–359, fig. 356; *lentus* 192, 194, 355–358, figs.

355 & 356; *occidentalis* 189–196, 353–361, figs. 355 & 356, var. *intermedius* 194, figs. 355 & 356, 358, 359; *oreganus* 195; *subspicatus* 190, 193–195, 355–359, figs. 355 & 356
Asteraceae 1–27, 126–149, 164–169, 189–196, 239–247, 341–361; Astereae 140–146; Eupatorieae 1; Heliantheae 147–149; Lactuceae 8, 341–350; Mutisieae 126–139; Senecioneae 1–22; Coreopsidinae 147; Scorzonerinae 341
Asterella tenera 277
Astragalus 109, 110; sect. *Cusickiani* 109; sect. *Desperati* 109, 110; *ackermanii* 23; *ceramicus* 109, 110; *chamaeleuce* 157; **knightii 109**, 110, fig. 110; *lutosus* 157
Athrosporium album 372
Atriplex gardneri 153
Attalea principes 253
Audibertia incana 170, var. *pilosa* 170
Austrometzgeria saccata 293
Balanopaceae 93, 96, 97, 100
Balanops 93, 96, 97; *australiana* 97, 98; *balansae* 97, 98; *microstachya* 97, 98; *oliviformis* 93, 97, 98
Balantiopsis 274; *aequifolia* 275; *cancellata* 275; *incrassata* 275; *knightii* 275; *purpurata* 275; *versicolor* 275
BALSLEV, HENRIK, New taxa and combinations in neotropical *Juncus* (Juncaceae) 302–308
BARANOVA, MARGARITA, On the laterocytic stomatotype in angiosperms 93–102
Barbeya 96; *oleoides* 93, 96, 99
Barbeyaceae 93, 96, 99
Barkleyanthus 2, 12, 17; *salicifolius* 9, 17, 21
BARNEBY, RUPERT C.—book review of *Flora of Turkey and the east Aegean Islands*, volume 7, edited by P. H. Davis, assisted by J. R. Edmondson, R. R. Hill & Kit Tan 103
———.—book review of *Ranunculaceae (Crowfoot Family) of New York State*, by R. S. Mitchell & J. K. Dean 22
———, Dragma Hippomanicum IX. A new *Astragalus* (Leguminosae: Astragalanae) from sandstone rim-rock in New Mexico 109, 110
BARRINGER, KERRY, *Monopera*, a new genus of Scrophulariaceae from South America 111–114
———, Notes on Central American Aristolochiaceae 171–174
Basidiomycetes 367, 371, 372
Basidiomycotina 367
Basistemon 111
Bauhinia 335–340; *eilertsii* 335, 338, 340; **flagelliflora 335**, 336, fig. 336, 340; **haughtii** 335, **337**, fig. 337, 338; *multinervia* 335, 340; **pichinchensis** 335, 336, **338**–340, fig. 339; *seminarioi* 337, 338; *stenantha* 338; *tarapotensis* 335, 336, 340
Bazzania: *appendiculata* 292; *brevidens* 275; *ceylanica* 292; *convexa* 292; *decrescens* 275; *erosa* 293; *himalayana* 292; *hochstetteri* 291; *imbricatum* 292; *mitteniana* 291; *novaezealandiae* 292; *obtusata* 292; *paradoxa* 292; *pumila* 275; *pusilla* 292; *subacuta* 293; *subtilis* 292; *tayloriana* 293; *tridens* 292
Begonia 115–119; sect. *Gireoudia* 115; sect. *Weilbachia* 119; *calderonii* 119; *fusca* 117, 118; *garagaranda* 117; **lyniceorum 118**, 119, fig. 118; **multistaminea 115**–118, fig. 117; **sousae 115**, fig. 116
Begoniaceae 115–119
Berberis nervosa 333
Bidens 239–247; sect. *Heterodonta* 239; sect. *Meduseae* 147; sect. *Platycarpaea* 239, 241, 243; *aristosa* 147; *cernua* 243; *connata* 243; *discoidea* 239–247; *frondosa* 239, 241, 243, 246; *leptocephala* 200; *mitis* 147; *vulgata* 239, 241, 243
Biology and taxonomy of American *Leibnitzia* (Asteraceae: Mutisieae), by Guy L. Nesom 126–139
Blepharidophyllum clandestinum 275
Blepharozia: *roraimae* 275; *sacculata* 275
Blumer, Jacob Corwin 197–203, fig. 198
Bombax ruizii 58
Bouteloua: *curtipendula* 110; *gracilis* 110
BOWERS, JANICE E., Jacob Corwin Blumer, Arizona botanist 197–203
Brachyglottis 12
BRAKO, LOIS—book review of *Medicinal Plants of North Africa*, by Loutfy Boulos 334
Brassicaceae 150–155
Bromus 377
Bryopteris vittata 275
Bryotheca brasiliensis 251, 252
BUCK, WILLIAM R., A synopsis of the South American taxa of *Fabronia* (Fabroniaceae) 248–254
———.—book review of *Moss Flora of the Maritime Provinces*, by Robert R. Ireland 174
———, New species and new combinations in the *Sematophyllum subpinnatum* complex (Sematophyllaceae) 327–330
———, Nomenclatural and taxonomic notes on West Indian Sematophyllaceae 309–311
Bulbothamnidium pulchrum var. *variabile* 372
Burmannia 138
BURT-UTLEY, KATHLEEN, Three new species of *Begonia* (Begoniaceae) from Mexico 115–119
Buxaceae 93–97, 100
Byrsonima 41
Cacalia 11, 12, 14, 15, 17, 18; sect. *Conophora* 12, 16; sect. *Eucacalia* 12; *atriplicifolia* 12; *hastata* 12; *jatrophoides* 17; *napeaefolia* 17; *ovata* 17; *reniformis* 17; *silphiifolia* 18; *sinuata* 18; *suaveolens* 12; *tabulare* 19; *tridactylitis* 17; *tuberosa* 17
California: Leguminosae 180–183
Calliergon 330; *aftonianum* 87; *giganteum* 87–89; *hansenae* 87; *kayianum* 87; *richardsonii* 87
Calycularia 275; *crispula* 275
Calylophus lavandulifolius 157
Calypogeia: *aeruginosa* 275; *fistulata* 275; *lunata* 275; *marginella* 275
Cameraria 222, 226–228
CAMPBELL, CHRISTOPHER S.—book review of *The Grasses of Baja California, Mexico*, by Frank W. Gould & Reid Moran 33

Camptothecium wolfenii 87
Capsicum 55–60; *baccatum* 59; *cardenasii* 59; *eximium* 59; *pubescens* 59; **tovarii 55–60**, figs. 56 & 57, map 58
Capsicum tovarii (Solanaceae), a new species of pepper from Peru, by W. Hardy Eshbaugh, Paul G. Smith & Daniel L. Nickrent 55–60
Carlowrightia 364
Carnegiea gigantea 201
Carthamus tinctorius 137
Cascabela 228
Castilleja 199; *austromontana* 200; *blumeri* 200; *cruenta* 200; *integra* 110; *laxa* 200; *patriotica* var. *blumeri* 200; *retrorsa* 200
Catananche lutea 137
CATLING, PAUL M., *Spiranthes ovalis* var. *erostellata* (Orchidaceae), a new autogamous variety from the eastern United States 120–125
Caudalejeunea: *hanningtonii* 285; *reniloba* 294
Celastraceae 93, 94, 97
Central America: Aristolochiaceae 171–174; *Lophanthera* 37–41
Ceratolejeunea oceanica 286
Cerbera 228
Cerberiopsis 228
Cercidium floridum 201
Cercocarpus: *intricatus* 25; *montanus* 151, 153
Chaetopsis 275
CHAMBERS, KENTON L. See Allen, Dean & Chambers 353–361
———. See Dean & Chambers 189–196
Chandonanthus 275
Chaptalia 126–139; sect. *Archichaptalia* 132; sect. *Leiberkuhna* 132; *alsophila* 126–128, 132; *arechavaletai* 137; *confinis* 128; *dentata* 136, 137; *ehrenbergii* 126–128, 133; *exscapa* 126, 137; *leucocephala* 126–128; *mexicana* 127, 128, 133; *monticola* 128; *piloselloides* 126, 127; *potosina* 127, 128; *runcinata* 126, 137; *seemannii* 126, 127; *sonchifolia* 128
Chara 88
Cheilolejeunea: *gardneri* 284; *laeviuscula* 285; *lindenbergii* 286; *serpentina* 287; *subopaca* 288; *surrepens* 288
Chenopodium 245; *incanum* 246
CHEN SING-CHI, Two pairs of vicarious species of *Cypripedium* (Orchidaceae) from eastern Asia and eastern North America 159–163
Chiloscyphus 276, 277; *aculeatus* 276; *chlorophyllus* 276; *coloensoi* 290; *confluens* 276; *conjugatus* 276; *decurrens* 276; *denticulatus* 276; *dubius* 276; *flaccida* 276; *gunnianus* 276; *laxus* 276; *lucidus* 276; *lyallii* 266, 277; *menziesii* 276; *mittenii* 276; *oblongifolius* 276; *odoratus* 276; *physanthus* 282; *planus* 276; *triacanthus* 276; *tridentatus* 276; *trispinosus* 277
Chimaphila umbellata 333
Chloranthaceae 94, 96, 97
Chloranthus 93, 96, 97; *angustifolius* 97; *henryi* 97; *inconspicuus* 97; *japonicus* 97; *serratus* 97; *spicatus* 97
Chorizanthe 28, 29; *watsonii* 28, 29
Chromosome numbers and evolutionary patterns in the *Aster occidentalis* (Asteraceae) polyploid complex of western North America, by Milton L. Dean & Kenton L. Chambers 189–196
Chromosome numbers in Great Plains species of *Penstemon* (Scrophulariaceae), by Craig C. Freeman 232–238
Chrysanthemum 2
Chrysopsis 140; *camporum* 140; *villosa* var. *camporum* 140
Chrysothamnus 23–27; sect. *Chrysothamnus* 27; sect. *Pulchelli* 23, 27; *depressus* 23, 26, 27; **eremobius 23–27**, fig. 24; *gramineus* 23, 27; *greenei* 26; *nauseosus* subsp. *leiospermus* 25; *spathulatus* 26; *vaseyi* 23, 26, 27; *viscidiflorus* 23, 26, 27, 153
Chrysothamnus eremobius (Asteraceae): A new species from Nevada, by Loran C. Anderson 23–27
Chytridiomycetes 367
Cineraria salicifolia 17
Cirsium: *barnebyi* 157; *blumeri* 200; *wheeleri* 200
Clasmatocolea: *marginata* 281; *vermicularis* 293
Claytonia: *lanceolata* 183; *saxosa* 180, 183
Clintonia uniflora 333
Cocos: *eriospatha* 252; *nucifera* 283
Collybia 317; *albogrisea* 318; *cystidiosa* fig. 319, 320; *delicata* 323, 325; *fimicola* 318, 319, 326; *glatfelteri* 323, 325; *lilacina* 322; *ludoviciana* 320; *maculata* 325; *nigrodisca* 323, 325; *oreades* 325; *strictipes* 325; *tenuifolia* 323
Cologania lemmoni 197
Cololejeunea: *adhaesiva* 283; *arrectifolia* 283; *effusa* 284; *inflectidens* 285; *laevigata* 285; *longifolia* 285, 286; *pentagona* 286; *planissima* 286; *polyantha* 286; *producta* 287; *pulchella* 287; *retusula* 287; *subciliata* 288; *varifolia* 288
Colorado: *Thalictrum* 156–158
Colura digitalis 284
Colus schellenbergiae 371
Compositae: See Asteraceae
Comptonia 162
Condylocarpon 227; *amazonicum* 227, 228, 230
Conomorpha: sect. *Aconomorpha* 62; sect. *Conomorphida* 62, 63; sect. *Euconomorpha* 62, 63; sect. *Microconomorpha* 62; *candolleana* 75, 76; *citrifolia* 73, 74; *duidae* 68; *fulvopulverulenta* 71, 72; *glaucorubens* 75; *gracilis* 75, 76; *grandiflora* 75, 76; *heterantha* 62; *latifolia* 75, 76; *laxiflora* 61, 62, 75, 76, var. *latifolia* 75, var. *longifolia* 75, 76; *leprosa* 71; *lithophyta* 71, 78; *madeirensis* 75, 76; *magnolifolia* 72; *obovata* 74; *ptariensis* 68; *reticulata* 62, 73; *rigida* 71; *riparia* 71; *spicata* 74
Conoscyphus 277; *inflexifolius* 277
Conostegia xalapensis 44
Contributions toward a monograph of *Cybianthus* (Myrsinaceae): III. A revision of subgenus *Laxiflorus*, by John J. Pipoly, III 61–80
Coreocarpus 147–149; **congregatus** 147, **148**, 149; *cronquistii* 148; *hintonii* 148
Coreopsis 164–169; sect. *Eublepharis* 147; sect.

Euleptosyne 147; sect. *Pugiopappus* 147; *californica* 164–169, map 166, fig. 166, key 169, var. *californica* fig. 165, 167, 169, var. **newberryi** 164–**168**, fig. 165, 169; *congregata* 147–149; *gladiata* 147; *linifolia* 147
Cornus 375; *stolonifera* 197
Cosmos 147
Crepis 194
CRONQUIST, ARTHUR—book review of *Kharakteristica cemeystv pokrytosemennykx rasteniy po tsitoembryologicheskim prisnakam*, by Vera A. Poddubnaya-Arnoldi 158
———.—book review of *The New World Species of Cynanchum subgenus Mellichampia (Asclepiadaceae)*, by Eric Sundell 29
Crotalaria: *collina* 200; *sagittalis* var. *blumeriana* 200
Cruciferae: See Brassicaceae
Crypteroniaceae 93–95, 100
Cryptocarpus 279
Cucurbitaceae 34–36
Cyathodium africanum 277
Cybianthus 61–80; subg. *Conomorpha* 62, 64; subg. *Iteoides* 62, 64; subg. *Laxiflorus* 61–80, key 64 & 65; subg. *Microconomorpha* 64; **deltatus** 61, 63–**65**, 66, fig. 66, map 67; *duidae* 63–68, map 67; *fulvopulverulentus* 61, 63, 64, 69, map 70, 71, subsp. *fulvopulverulentus* 62–64, 68, 71, 72, subsp. **magnoliifolius** 63, 65, **72**, 73; *lithophytus* 61, 71; *magnoliifolius* 61; *reticulatus* 61, 63, 65, map 67, 73, 74; *spicatus* 61–63, 65, 74–78, map 77
Cymopterus bipinnatus 153
Cypripedium 159–163; sect. *Criosanthes* 160, 161; sect. *Cypripedium* 160, 161; *arietinum* 159–163, map 160; *flavum* 159–163, map 160; *guttatum* 162; *irapeanum* 159–161; *luteum* 159, 163; *plectrochilon* 159–163, map 160; *reginae* 159–163, map 160
Dactylocladus 95
Dahlia 147
Daiswa 255–270, key 255–257; **birmanica** 256, **259**, fig. 260; **bockiana** 257, **267**, 268; **chinensis** 255, 256, **259**–262, fig. 261, subsp. **brachysepala 262**; **cronquistii** 256, **262**, 263, fig. 263; **delavayi 269**, 270; **dunniana** 256, **257**, 258, fig. 258; **fargesii** 256, **264**; **forrestii** 256, **268**, fig. 269; **hainanensis** 256, **258**, 259, subsp. **vietnamensis 259**; **lancifolia** 256, **266**; *polyphylla* 257–268; **pubescens** 256, **268**; **thibetica** 256, **265**, 266; **violacea** 256, **266**, 267; **yunnanensis** 255–**257**
Dalea formosa 110
DEAN, MILTON L. See Allen, Dean & Chambers 353–361
——— & KENTON L. CHAMBERS, Chromosome numbers and evolutionary patterns in the *Aster occidentalis* (Asteraceae) polyploid complex of western North America 189–196
Delphinium andesicola 200
DEMOTT, KIRBY. See Wilkin & DeMott 156–158
Dendroceros: *granulatus* 277; *tumidulus* 277
Dendropogon 286
DESJARDIN, DENNIS. See Thiers, Desjardin & Methven 367–373
Desmodium neomexicanum 200
Deuteromycetes 372
Deuteromycotina 367
Deutzia 95
DEWEY, DOUGLAS R., New nomenclatural combinations in the North American perennial Triticeae (Gramineae) 30–33
Diascia 112
Dicella julianii 40
Dichapetalaceae 49–54
Dichapetalum 52, 53; *asplundeanum* 53; *axillare* 52; *bullatum* 52; *coelhoi* 52; *donnell-smithii* 52, var. *chiapasense* 52; *foreroi* 52; *froesii* 52; *gentryi* 53; *latifolium* 52; *nervatum* 52; *nevermannianum* 52; *odoratum* 52; *pauper* 52; *pedunculatum* 52; *rugosum* 52; *schulzii* 53; *spruceanum* 52; *steyermarkii* 52; *stipulatum* 52
Dicoryphe 93, 96; *lanceolata* 96; *laurina* 96
Dicranolejeunea 85; *chrysophylla* 283; *johnsoniana* 285
Digiticacalia 2, 11–14, 17; *heteroidea* 17; *jatrophoides* figs. 7 & 8, 9, 11, 13, 17, 21; *napeifolia* 9, 13, 17, 21; *tridactylitis* fig. 8, 9, 11, 13, 17, 21
Dimerodontium: *balansae* 251; *chlorophyllosum* 252
Distribution maps: *Anechites nerium* 223; *Capsicum tovarii* 58; *Coreopsis californica* 166; *Cybianthus*: *deltatus* 67, *duidae* 67, *fulvopulverulentus* 70, *reticulatus* 67, *spicatus* 77; *Cypripedium*: *arietinum* 160, *flavum* 160, *plectrochilon* 160, *reginae* 160; *Heterotheca camporum* 143; *Hibiscus berberidifolius* 177; *Juncus ramboi* 307; *Leibnitzia*: *occimadrensis* 129, *seemannii* 129; *Lophanthera* 38; *Spiranthes ovalis* var. *erostellata* 123, var. *ovalis* 123
Distyliopsis 96; *dunnii* 96
Distylium 96; *racemosum* 96
Draba: *helleriana* var. *bifurcata* 200, var. *blumeri* 200
Dragma Hippomanicum IX. A new *Astragalus* (Leguminosae: Astragalanae) from sandstone rim-rock in New Mexico, by Rupert C. Barneby 109, 110
Drepanocladus: *aduncus* 87, 91, var. *kneiffii* 87, figs. 89 & 90; *apiculatus* 87; *exannulatus* 89; *fluitans* 88; *minnesotensis* 87–92, figs. 89 & 90; *sendtneri* 90
Drepanolejeunea: *angustifolia* 283; *cultrella* 284; *laevis* 285; *macrodonta* 285; *pulla* 287; *subquadrata* 288; *ternatensis* 288; *thwaitesiana* 288; *vesiculosa* 289
Dryopteris filix-mas 197
Dumortiera denudata 277
Echinolejeunea papillata 286
Echites 226, 227; subsect. *Urechites* 227; *agglutinata* 224; *asperuginis* 222, 228; *circinalis* 224, var. *thomasiana* 224; *lappulacea* 222, 228; *revoluta* 224
Ectopopterys soejartoi 40

Ectropothecium 309, 311; *apiculatum* 309, 311; **leptochaeton 311**
Ecuador: *Bauhinia* 335–340
ELIAS, THOMAS S.—book review of *Key to the Vascular Plants of Mongolia (with an Atlas)*, by V. I. Grubov 315
———.—book review of *Rare Plants of New York State*, by R. S. Mitchell & C. J. Sheviak 184, 185
Elymus 30–33; *ambiguus* 32; *arenarius* 346; *arenicola* 32; *cinereus* 32; *condensatus* 32; *flavescens* 32; *innovatus* 32; *mollis* 32; *pacificus* 32; *salina* 32; *sibiricus* 30; *simplex* 32; *triticoides* 32; *vancouverensis* 32
Elytrigia 30, 31; **arizonica 31**; *dasystachya* 31, subsp. **albicans 31**, subsp. **psammophila 31**, subsp. **yukonense 31**; **parishii 31**; *smithii* 31; **spicata 31**
Embolanthera 96; *glabrescens* 96
Encelia farinosa 201
Entolomataceae 369
Eopleurozia paradoxica 275
Ephedra torreyana 25
Eriogonum: *acaule* 153; *lonchophyllum* 157
ERTTER, BARBARA—book review of *Eagle's Trees and Shrubs of New Zealand*, second series, by Audrey Eagle 221
——— & ARNOLD TIEHM, Lectotypification of *Chorizanthe watsonii* (Polygonaceae: Eriogonoideae) 28, 29
ESHBAUGH, W. HARDY, PAUL G. SMITH & DANIEL L. NICKRENT, *Capsicum tovarii* (Solanaceae), a new species of pepper from Peru 55–60
Eustigma 96
Euthyra 255, 256
Exbucklandia 93, 96; *populnea* 96, fig. 98
Exormotheca 277; *pustulosa* 277
Fabaceae 109, 110, 180–183, 335–340; Caesalpinioideae 335; Astragalanae 109, 110; Cercideae 335
Fabronia 248–254, key 248 & 249; *affinis* 251; *andina* 249, var. *chilensis* 253, var. *jaffuelii* 253; *apophysatula* 253; *araucariae* 251; *argentinica* 249, 250; *attaleae* 253; *balansae* 251; *balansaeana* 251; *basilaris* 251; *ciliaris* 249, var. *ciliaris* 248–251, fig. 250, var. **polycarpa** 248, fig. 250, **251**, 252, var. **wrightii** 248, **249–252**, fig. 250; *contermina* 253; *enervis* 248, 253, 254; *felipponei* 253; *filamentosa* 251; *flavinervis* 251, 252; *gardneriana* 251, 252; *glauca* 251; *gracilicarpa* 251; *guarapensis* 251; *hemisphaerica* 252; *humilitatus* 253; *imbricata* 251; *jamaicensis* 252; *jamesonii* 248, 249, fig. 250, 252, 253; *julacea* 251; *latidens* 249; *latifolia* 251; *lindigiana* 252, 253; *lindigii* 253; *lorentzii* 249, 253; *macroblepharis* 248, 249, fig. 250, 252, 253; *macroblepharoides* 253; *minutissima* 249; *nivalis* 249, 251; *obtusatula* 253; *palmicola* 252; *perimbricata* 249; *physcomitriocarpa* 252; *pilifolia* 249; *podocarpi* 249; *polycarpa* 251, 252, var. *major* 251, var. *patens* 251; *ravenelii* 251; *schwetschkeoides* 253; *seligeriacea* 253; *singulidens* 253; *spegazzinii* 253; *subpolycarpa* 251; *tucumanensis* 253; *uruguensis* 252; *wrightii* 249, 251; *wullschlaegelii* 252
Fabroniaceae 248–254
Fabronidium espinosae 249
FALLEN, MARY E., A systematic revision of *Anechites* (Apocynaceae) 222–231
Festuca amplissima 377
Fimbriaria: *pusilla* 277; *tenera* 277
Fossombronia: *australis* 277; *tumida* 277
Fothergilla 96, 162
FREEMAN, CRAIG C., Chromosome numbers in Great Plains species of *Penstemon* (Scrophulariaceae) 232–238
Fritillaria glauca 180
Frullania 251, 277–279; *acutiloba* 277; *angulata* 277; *angulosa* 277; *angustata* 277; *apicalis* 278; *apiculata* 279; *arecae* 278; *asperula* 278; *breviuscula* 278; *campanulata* 277; *clavellata* 278; *cordata* 278; *cornigera* 278; *deflexa* 278; *deplanata* 278; *depressa* 278; *emergens* 278; *ericoides* 279; *evoluta* 278; *explanata* 278; *grandistipula* var. *rugosa* 279; *hampiana* var. *acutiloba* 277, 278; *incumbens* 278; *inflexa* 278; *intermedia* 277, 278; *meteoroides* 278; *neurota* 277, 278; *obscurifolia* 278; *oceania* 279; *patula* 279; *pendula* 279; *physantha* 279; *polyptera* 279; *pusilla* 279; *reptans* 279; *retusa* 279; *rostellata* 279; *rugosa* 279; *serrata* 279; *socotrana* 279; *squarrosa* 279; *subinflata* 279; *tamarisci* subsp. *moniliata* 278; *tenuicaulis* 279; *trichodes* 279; *ubacamundcana* 277; *usagara* 279; *vethii* 279; *wallichiana* 279, 285
FRYXELL, PAUL A. See Lott & Fryxell 34–36
———. See Menzel, Fryxell & Wilson 204–221
Fungus herbarium of the Carnegie Museum of Natural History (CM), Pittsburgh, Pennsylvania, by Barbara M.Thiers, Dennis Desjardin & Andrew S. Methven 367–373
Galium: *coloradoense* 157; *grayanum* subsp. *grayanum* 181, 183
Galphimia 40, 41; *glauca* 40
Gerbera 132, 137, 138; *ehrenbergii* 128, *seemannii* 127, 132
Geropogon 341
Ginger, wild 331
Ginoria 327
Glossadelphus 254
Glyphothecium 253
Glyptothecium 253
Gongylanthus renifolius 290
Gossypium 205, 206
Gottschea: *carnosa* 280; *ciliata* 280; *lehmannianum* 290; *thwaitesii* 280
Gramineae: See Poaceae
Great Plains: *Penstemon* 232–238
Gutierrezia linoides 200
Gymnanthe: *biloba* 280; *ciliatus* 280; *concinna* 280; *cornigera* 278; *drummondii* 280; *lophocoleoides* 280; *setulosa* 280
Gymnarrhena micrantha 137
Gymnocolea cylindriformis 281
Gymnopus: *albogriseus* 318; *glatfelteri* 323; *lu-*

dovicianus 320; *nigrodiscus* 323; *strictipes* 325; *tenuifolius* 323
Gynoxys berlandieri 19
Hagenia 178
HALLING, ROY E., A synopsis of *Marasmius* section *Globulares* (Tricholomataceae) in the United States 317–326
Hamamelidaceae 95, 96
Haplomitrium: *blumii* 299; *mnioides* 299
Haplophyton 227
HAYNES, ROBERT R.—book review of *The Complete Guide to Water Plants*, by Helmut Mühlberg 187
Hecastocleis shockleyi 25
Hedyosmum 93, 96, 97; *arborescens* 97
Hemimeris 112
Henry, LeRoy K. 367, 368
Hepaticae 84, 271–300
Herbertus gracilis 280
Herpocladium 280; *bidens* 280; *fissum* 280
Heteroscyphus argutus 276
Heterotheca 140–146; *camporum* 140–146, map 143, var. *camporum* fig. 142, 144, 145, var. **glandulissimum** 140, fig. 142, map 143, 145, **146**; *villosa* 145, var. *camporum* 140
Hibiscus 175–179, 204–221; sect. *Furcaria* 175–179, 204–221, key 217 & 218; *acetosella* 218; *aculeatus* 205–218, figs. 205 & 212; *berberidifolius* 175–179, fig. 176, map 177; *cannabinus* 217; **cerradoensis** 204, 207, 217, **218**–220, fig. 219; *costatus* 204–218, figs. 205 & 215; *cucurbitaceus* 204–218, figs. 205 & 212; *diversifolius* 175, 178, 204, 207, 217, var. *witteanus* 175; *flagelliformis* 204–218, fig. 215; *furcellatus* 205–218, figs. 205, 212 & 215; *hasslerianus* 207, 218; *henningsianus* 207, 217; *kitaibelifolius* 204–218, fig. 205; *laxiflorus* 204–218, figs. 205 & 212; *maculatus* 204–217; *peruvianus* 206–218, fig. 212; *pohlii* 207; *radiatus* 218; *sabdariffa* 217; *sudanensis* 205, 216; *surattensis* 208, 213, 214; *uncinellus* 206–218, fig. 212; *utricaefolius* 207, 217; *wilsonii* 207–217, fig. 212; *youngianus* 208
HILSENBECK, RICHARD A. & DIANE L. MARSHALL, *Schaueria calycobractea* (Acanthaceae), a new species from Veracruz, Mexico 362–366
Himantandraceae 99
HOLMGREN, NOEL H.—book review of *A Flora of Waterton Lakes National Park*, by Job Kuijt 60
———.—book review of *Alpine Flora of Kashmir Himalaya*, by Uppeandra Dhar & P. Kachroo 379
———.—book review of *Berberidaceae through Fumariaceae of New York State*, by Richard S. Mitchell 174
———.—book review of *Contributions from the University of Michigan Herbarium, volume 15* 231
———.—book review of *Grasses: An Introduction to the Study of Fodder and Cereal Grasses*, by Romain Y. Roshevits 80
———.—book review of *Guide to the Vascular Plants of Central Florida*, by Richard P. Wunderlin 308
———.—book review of *Plant-Atmosphere Relationships*, by John Grace 231
———.—book review of *Reference Handbook on the Deserts of North America*, edited by Gordon L. Bender 312
———.—book review of *Virology of Flowering Plants*, by W. A. Stevens 231
Hordeum 31, 245
Hormisciopsis gelatinosa 372
Horridohypnum 254
Hybridization studies in the *Aster occidentalis* (Asteraceae) polyploid complex of western North America, by Geraldine A. Allen, Milton L. Dean & Kenton L. Chambers 353–361
Hydnum earleanum 371
Hydrangeaceae 93, 94
Hygrohypnum szaferi 88
Hygrolejeunea: *procumbens* 286; *rotundifolia* 287; *vesicata* 289
Hygrolembidium ventrosum 289
Hygrophorus 369; *graciae* 371
Hymenopappus: *mexicanus* 200; *petaloideus* 200
Hymenoxys acaulis 153
Hyphomycetes 368
Hypnaceae 311
Hypnum: *caespitosum* 309; *cataractilis* 328; *cataractitis* 328; *ciliare* 249; *leptochaeton* 309, 311; *loxense* 327
Hystrix 30, 31
Icacinaceae 93, 94, 100
Identity of the Pleistocene mosses *Drepanocladus minnesotensis* and *Neocalliergon integrifolium* (Amblystegiaceae), by Norton G. Miller 87–92
Illiciaceae 99
Index to the genera and species of Hepaticae described by William Mitten, by Barbara M. Thiers 271–300
Instructions to contributors 106–108
Iris: *arizonica* 200; *missouriensis* var. *arizonica* 200; *purdyi* 183
Isocarpha 1
Isotachis 280, 281; *gunniana* 280; *indica* 280; *lyallii* 281
Jacob Corwin Blumer, Arizona botanist, by Janice E. Bowers 197–203
Jacobinia 362, 364; *umbrosa* 362, 364
JAYASURIYA, A. H. M.—book review of *An Enumeration of the Flowering Plants of Nepal*, volume 3, by H. Hara, A. O. Chater & L. H. J. Williams 186
———.—book review of *Handbooks of the Flora of Papua New Guinea*, volume II, by E. E. Henty 86
Jennings, Otto E. 367, 369
Jensenia decipiens 299
Juglans 377
Juncaceae 302–308
Juncus 302–308, 346; subg. *Genuini* 305, 307; subg. *Poiophylli* 302; subg. *Septati* 303, 305; *acuminatus* 303; *arcticus* var. **andicola** 302, **308**, var. **mexicanus** 302, **308**, var. **montanus**

302, **308**; **arequipensis 302**, 303; **breviculmis** 302, **303**–305, figs. 304 & 305; *capillaceus* 302, 303; *ecuadoriensis* 303; *imbricatus* 302, 303; *microcephalus* 303; *pallescentis* 303; *ramboi* map 307, subsp. **colombianus** 302, **305**–307, fig. 306, subsp. *ramboi* 305, 307
Junga 280
Jungermannia 281, 282; *albula* 281; *appressifolia* 281; *assamica* 281; *assimilis* 281; *atrata* 281; *cylindriformis* 281; *fernandeziana* 281; *geminifolia* 281; *hasskarliana* 281; *infusca* 297; *lanigera* 281; *leucorhiza* 281; *marcescens* 281; *marginata* 281; *micrantha* 297; *nigrescens* 282; *pluridentata* 282; *purpurata* 282; *quadrifida* 282; *radicellosum* 297; *rubida* 282; *setosa* 282; *sphaerophora* 81
Juniperus monosperma 110
Justicia 364; *aurea* 362; *pectoralis* 364; *soliana* fig. 365
Kadsura 93, 96, 99, 100; *coccinea* 99; *heteroclita* 99; *japonica* 99; *scandens* 99
Karyotypes of *Tragopogon* (Compositae: Lactuceae), by F. Douglas Wilson 341–350
Keys: *Aristolochia arborea* 173, *bullata* 173, *steyermarkii* 173; *Coreopsis californica* 169; *Cybianthus* subg. *Laxiflorus* 64, 65; *Daiswa* 255–257; *Fabronia* 248, 249; *Hibiscus* sect. *Furcaria* 217, 218; *Lopholejeunea* 85; *Marasmius* sect. *Globulares* 318; *Monopera* 112; Wyoming *Physaria* 151–153; *Tapura* 49, 50; Mexican *Trisetum* 374, 375
Kinugasa 255, 256
Knauz, Marie B. 367–369
Koyamacalia 13
Krukoff, B. A. (1898–1983)—In Memoriam 102
Lactarius: *glutinosa* 371; *sumstinei* 368, 371
Lamiaceae 170
Larrea tridentata 201
Lathyrus: **biflorus** fig. 182, **183**; *lanszwertii* 183; *torreyi* 183; *tracyi* 183
Lectotypification of *Chorizanthe watsonii* (Polygonaceae: Eriogonoideae), by Barbara Ertter & Arnold Tiehm 28, 29
Leguminosae: See Fabaceae
Leibnitzia 126–139; *anandria* 132; **occimadrensis** 126, map 129, **130**–133; **seemannii** 126, **127**–138, figs. 134–136, map 129
Leioscyphus 282; *infuscatus* 282; *motleyi* 282; *pallens* 282; *repens* 282
Lejeunea 81, 273, 282–289; *abbreviata* 282; *abortiva* 282; *acuta* 282; *adhaesiva* 283; *aligera* 283; *alternifolia* 283; *angulifolia* 283; *angustifolia* 283; *appendiculata* 283; *arrectifolia* 283; *astroidea* 283; *atra* 283; *balfourii* 283; *cocoes* 283; *convexifolia* 283; *crassiretis* 283; *crenulata* 283; *cryptocarpa* 283; *cucullata* 283; *cultrella* 284; *cyathophora* 284; *dentata* 284; *deplanata* 284; *digitalis* 284; *diversifolia* 284; *drummondii* 285; *eckloniana* 284; *effusa* 284; *epiphylla* 284; *excavata* 284; *firma* 284; *flavida* 284; *flexuosa* 284; *furva* 284; *gardneri* 284; *gracillima* 285; *gunniana* 285; *hanningtonii* 285; *inflectens* 285; *infuscata* 285; *japonica* 285; *johnsoniana* 285; *khasiana* 285; *laevigata* 285; *laevis* 285; *laeviuscula* 285; *lancifolia* 285; *longifolia* 285; *macrodonta* 285; *maculata* 286, 287; *minuta* 286; *mittenii* 284; *obfusca* 286; *obscura* 286; *oceanica* 286; *pallescens* 286; *papillata* 286; *patersonii* 283; *pedunculata* 286; *pentagona* 286; *peradeniensis* 286; *planissima* 286; *planiuscula* 286; *polyantha* 286; *princeps* 284; *procumbens* 286; *producta* 287; *pulchella* 287; *pulla* 287; *punctiformis* 285; *radiata* 287; *retusula* 287; *riparia* 287; *robusta* 287; *rotundifolia* 287; *saccata* 287; *samoana* 287; *serpentina* 287; *serrula* 287; *sinclairii* 287; *sinuata* 273, 287; *stephensoniana* 288; *subacuta* 288; *subciliata* 288; *subopaca* 288; *subquadrata* 288; *surrepens* 288; *thwaitesiana* 288; *tripuncta* 288; *triquetra* 288; *tumida* 288; *turgida* 288; *uncinata* 288; *ungulata* 288; *varifolia* 288; *vesicata* 289; *vesiculosa* 289; *wallichiana* 283; *wardiana* 289
Lejeuneaceae 81–86, 272
Lembidium 289; *ventrosum* 289
Lentinus pulcherrimus 371
Leperoma 289
Lepicolea attenuata 299
Lepidozia 289; *brevidentata* 289; *brevifolia* 289; *ceratophylla* 289; *fistulosa* 289; *flexuosa* 289; *infuscata* 289; *procera* 289; *procumbens* 289; *succida* 289
Leptodactylon pungens 157
Leptohymenia abyssinica 294
Leptolejeunea: *astroidea* 283; *epiphylla* 284; *lancifolia* 285; *maculata* 286
Leptophyllopsis laxus 276
Leptoscyphus: *abditus* 282; *expansus* 290; *infuscatus* 282
Leptosyne newberryi 168
Leskea: *caespitosa* 309, 310; *longirostris* 309–311; *subpinnata* 309
Lethocolea 289; *prostrata* 289; *radicosa* 275; *squamata* 280
Leucolejeunea turgida 288
Leymus 30–33; **ambiguus 32**; *cinereus* 32; *condensatus* 32; *flavescens* 32; *innovatus* 32; *mollis* 32; **pacificus 32**; *salinae* 32; **simplex 32**; *triticoides* 32
LICHVAR, ROBERT W., A new species of *Physaria* (Cruciferae) from Wyoming 150–155
Ligularia 2, 14, 17; *amplectens* 2, fig. 5, 9, 13, 14, 17, 21; *przewalskii* 14
Linanthus nuttallii 197
Lindigina renifolia 290
Linnaea borealis 333
Lophanthera 37–41, map 38; **hammelii 37**–41, fig. 39; *lactescens* 37, 38, 40; *longifolia* 38, 40; *pendula* 38, 40; *spruceana* 37, 38, 40
Lophanthera, a genus of Malpighiaceae new to Central America, by William R. Anderson 37–41
Lophocolea 273, 290, 291; *amplectens* 290; *colensoi* 290; *compacta* 290; *contracta* 291; *convexula* 290; *decurva* 290; *devexa* 290; *explanata* 290; *flaccida* 290; *inconspicua* 290; *leucophylla* 276; *lucida* 290; *multipenna* 290;

opposita 290; *pallida* 290; *prostrata* 290; *rectangulata* 290; *serrata* 290; *subporosa* 290; *subrotunda* 291; *sylvatica* 291; *tasmanica* 291
Lophocoleaceae 272
Lopholejeunea 81–86, key 85; subg. **Pteryganthus** 81–**85**, 86; sect. *Constrictae* fig. 84, 85; *abortiva* 282; *eulopha* 294; *grandicristata* 83; *herzogiana* 81, fig. 84, 85; *plicatiscypha* 294; *pullei* 81, fig. 84, 85; *renistipula* 294; *sinuata* 81, fig. 82; *sphaerophora* 81–85, fig. 82, 287; *subnuda* 294; *utriculata* 81, 83–85
Lophozia: *leucorhiza* 281; *setosa* 282
LOTT, EMILY J. & PAUL A. FRYXELL, A new species of *Sicyos* (Cucurbitaceae) from Chiapas, Mexico 34–36
LU, KAREN L. & MICHAEL R. MESLER, A re-evaluation of a green-flowered *Asarum* (Aristolochiaceae) from southern Oregon 331–334
Lupinus 377; *blumeri* 200; **constancei 180**, fig. 181, 183; *sellulus* var. *ursinus* 180
Macrodiplophyllum microdontum 291
Macrolejeunea pallescens 286
Macromitrium 285, 289
Madotheca: *canariensis* 285; *plumosa* 291; *ptychantha* 291; *subdentata* 291; *viridissima* 291
Magnoliaceae 99
Mahua 248, **254**; **enervis** fig. 250, **254**
Malpighiaceae 37–41; Gaudichaudioideae 41; Malpighioideae 41
Malvaceae 175–179, 204–221
Marasmius 317–326; sect. *Globulares* 317–326, key 318, figs. 319 & 321; sect. *Sicci* 317, 318, stirps *Cohaerens* 317; *alachuanus* 320; *albogriseus* 317–319, fig. 321; *caryophylleus* 325; *cohortalis* 320, var. *alachuanus* 318, 320, fig. 321; *cystidiosus* 318, 320–322; *delectans* 317, 321; *heliomyces* 318, fig. 321, 322; *leighii* 318, fig. 319, 322; *lilacinus* 317, 318, fig. 321, 322, 323, 325; *ludovicianus* 320; *morganianus* 371; **nigrodiscus** 317, 318, figs. 319 & 321, **323**–325; *oreades* 317–319, 325; *siccus* 322; *strictipes* 318, 325, 326; *tenuifolius* 323; *tortipes* 322
Marchantia: *foliacea* 291; *macropora* 291; *pileata* 291; *subintegra* 291
Marchesinia: *excavata* 284; *robusta* 287
MARSHALL, DIANE L. See Hilsenbeck & Marshall 362–366
Marsupella: *revoluta* 281; *rubida* 282
Marsupidium 291; *excisum* 291; *knightii* 291; *setulosum* 280
Martinellia microdonta 291
Mastigobryum 291–293; *affine* 291; *appendiculatum* 292; *ceylanicum* 292; *colensoanum* 292; *dentatum* 292; *himalayanum* 292; *imbricatum* 292; *intermedium* 292; *monilinervis* 293; *novaezealandiae* 292; *oblongum* 292; *obtusatum* 292; *pallidum* 292; *pusillum* 292; *richardianum* 292; *serrulatum* 293; *subacutum* 293; *tayloriana* 293
Mastigolejeunea: *auriculata* 293; *calcarata* 293; *florea* 294; *repleta* 289
Mastigopelma 293; *subsimplex* 293
Mastigophora bisseti 293
Matudaea 96
Mcvaughia 40
Megaceros giganteus 274
Megalodonta 147
Meibomia parva 200
Melastomataceae 42–48
Meliosma 162
Melosperma 112
Memecyclus angulosus 81
MENZEL, MARGARET Y., PAUL A. FRYXELL & F. DOUGLAS WILSON, Relationships among New World species of *Hibiscus* section *Furcaria* (Malvaceae) 204–221
Mesadenia 16; *elliottii* 17; *reniformis* 17; *tuberosa* 17
MESLER, MICHAEL R. See Lu & Mesler 331–334
Mesoamerica: *Miconia* 42–48
Metahygrobiella: *albula* 281; *mittenii* 281
METHVEN, ANDREW S. See Thiers, Desjardin & Methven 367–373
Metzgeria 300; *filicina* 293; *hamata* 293; *nitida* 293; *procera* 293; *saccata* 293; *scobina* 293
Mexico: *Begonia* 115–119; *Schaueria calycobractea* 362–366; *Sicyos* 34–36; *Trisetum curvisetum* 374–378
Miconia 42–48; sect. *Amblyarrhena* 42; sect. *Jucunda* 48; sect. *Miconia* 44, 46; *abbreviata* 48; *affinis* 46; *aulocalyx* 48; **centrosperma 42**–44, fig. 43; *fulvostellata* 44; *oligocephala* 44; **santaritensis** 42, **44**–46, fig. 45; **stevensiana** 42, **46**–48, fig. 47
Micromorphological characters and generic delimitation of some New World Senecioneae (Asteraceae), by Mark Allen Wetter 1–22
Microsechium 35; *helleri* 36; *ruderale* 36
MILLER, NORTON G., The identity of the Pleistocene mosses *Drepanocladus minnesotensis* and *Neocalliergon integrifolium* (Amblystegiaceae) 87–92
Miricacalia 13
Mitten, William 271–300
Mnium 290
Monopera 111–114, key 112; **micrantha** 111, **112**, fig. 112, 113; **perennis** 111, fig. 112, **113**
Monopera, a new genus of Scrophulariaceae from South America, by Kerry Barringer 111–114
Monttea 112
MORDEN, CLIFFORD W. & JESÚS VALDÉS-REYNA, *Trisetum curvisetum* (Poaceae: Aveneae), a new species from Mexico 374–378
MORI, SCOTT A.—book review of *The Biology of Nectaries*, edited by B. Bentley & T. Elias 186, 187
Musci 300
Myrsinaceae 61–80
Myrsine spicata 62, 74
Mytilaria 96
Myxomycetes 367
Nardia assamica 281
Neckera gracillima 252
Nelsonianthus 2, 13
NELSON, JANE P. See Nelson & Nelson 180–183
NELSON, THOMAS W. & JANE P. NELSON, Two

new species of Leguminosae from serpentine of Humboldt County, California 180–183
Nemosenecio 12
Neocalliergon integrifolium 87–92, fig. 90
Neotrichocolea bisseti 293
Neotropics: Dichapetalaceae 49–54; *Juncus* 302–308
Neriandra 222
NESOM, GUY L., Biology and taxonomy of American *Leibnitzia* (Asteraceae: Mutisieae) 126–139
Nevada: *Chrysothamnus eremobius* 23–27
New Mexico: *Astragalus* 109
New name in *Vernonia* (Compositae), by John G. Stutts 351, 352
New nomenclatural combinations in the North American perennial Triticeae (Gramineae), by Douglas R. Dewey 30–33
New species and new combinations in the *Sematophyllum subpinnatum* complex (Sematophyllaceae), by William R. Buck 327–330
New species of *Physaria* (Cruciferae) from Wyoming, by Robert W. Lichvar 150–155
New species of *Sicyos* (Cucurbitaceae) from Chiapas, Mexico, by Emily J. Lott & Paul A. Fryxell 34–36
New species of *Thalictrum* (Ranunculaceae) from western Colorado, by Dieter H. Wilken & Kirby DeMott 156–158
New taxa and combinations in neotropical *Juncus* (Juncaceae), by Henrik Balslev 302–308
New variety of *Coreopsis californica* (Compositae) endemic to Arizona, by Edwin B. Smith 164–169
New World: *Hibiscus* sect. *Furcaria* 204–221; Senecioneae (Asteraceae) 1–22
NICKRENT, DANIEL L. See Eshbaugh, Smith & Nickrent 55–60
NICOLSON, DAN H.—book review of *A Revision of Caprifoliaceae of Japan with Reference to Allied Plants in Other Districts and the Adoxaceae,* by Hiroshi Hara 184
Nomenclatural and taxonomic notes on West Indian Sematophyllaceae, by William R. Buck 309–311
North America: *Aster occidentalis* 189–196, 353–361; *Cypripedium* 159–163; Triticeae (Poaceae) 30–33
Notes concerning an application of the Sydney code of botanical nomenclature to *Salvia dorrii* (Lamiaceae), by Jeffrey L. Strachan 170
Notes on Central American Aristolochiaceae, by Kerry Barringer 171–174
Notobuxus 95, 96; *acuminata* 95
Notoscyphus 293; *variifolius* 293
Notothylas: *minutus* 274; *orbicularis* 274
Nowellia 293
Odontoschisma gracile 299
Odontotrichum 11, 18; *jatrophoides* 17; *napeaefolium* 17; *silphiifolium* 18; *tridactylitis* 17
Oidium: *album* 372; *murrilliae* 372
On the laterocytic stomatotype in angiosperms, by Margarita Baranova 93–102
Oomycetes 367
Orchidaceae 120–125, 159–163
Orchis aristata 162
Oregon: *Asarum* 331–334
Orthilia secunda 333
Oryzopsis hymenoides 151, 153
Ostrearia 96
Overholts, Marie B. Knauz 367–369
Oxybaphus comatus 200
Pachyglossa fissa 280
Pachysandra 100
Packera 2, 11, 13, 18; *aurea* 2, 9, 18, 21
Pallavicinia ambigua 299
Panaeolus acidus 372
Paris 255, 256; sect. *Euthyra* 255; sect. *Parisella* 255; *arisanensis* 267; *atrata* 257; *biondii* 264; *bockiana* 267; *brachysepala* 262; *cavaleriei* 261; *chinensis* 259; *christii* 260; *debeauxii* 264; *delavayi* 255, 269; *dunniana* 257; *fargesii* 264, var. *petiolata* 260; *formosana* 261; *franchetiana* 260; *gigas* 260; *hamifer* 266; *henryi* 269; *hookeri* 264; *kwantungensis* 264; *lancifolia* 266; *luquanensis* 267; *mairei* 264; *marchandii* 264; *marmorata* 266; *mercieri* 259; *petiolata* 260, var. *membranacea* 264; *pinfaensis* 261; *polyphylla* 255, 262, 264, 266, 267, var. *appendiculata* 265, var. *brachystemon* 266, subsp. *fargesii* 264, subsp. *marmorata* 266, var. *platypetala* 257, var. *pubescens* 268, var. *stenophylla* 266, var. *thibetica* 265, var. *yunnanensis* 257; *pubescens* 268; *thibetica* 265; *vaniotii* 267; *violacea* 266; *yunnanensis* 257
Peltigera 286
Penstemon 232–238; sect. *Bridgesiani* 237; sect. *Cristati* 237; sect. *Saccanthera* 237; *albidus* 233, fig. 234; *ambiguus* var. *ambiguus* 233, fig. 234; *angustifolius* var. *angustifolius* 233, var. *caudatus* 233, fig. 234; *auriberbis* 233, fig. 234; *buckleyi* 233, fig. 234; *cobaea* var. *cobaea* fig. 234, 235, 237, var. *purpureus* fig. 235; *digitalis* 232, fig. 234, 235; *eriantherus* var. *eriantherus* fig. 234, 235; *fendleri* fig. 234, 235; *glaber* var. *glaber* 235; *gracilis* var. *gracilis* fig. 234, 236, 237; *grandiflorus* fig. 234, 236; *haydenii* fig. 234, 236; *jamesii* fig. 234, 236; *laxiflorus* fig. 234, 236; *nitidus* var. *nitidus* 236; *oklahomensis* fig. 234, 236, 237; *pallidus* fig. 234, 237; *tubaeflorus* 232, var. *tubaeflorus* fig. 234, 237; *virens* fig. 234, 237
Pentacalia 2, 18; *parasitica* 2, fig. 4, 9, 13, 14, 18, 21
Perdicium 132
Peru: *Capsicum tovarii* 55–60
Petradoria 26, 27; *discoidea* 23, 25–27; *pumila* 27
Pezizales 367
Phacelia 194
Philadelphus 95
Phragmicoma 293, 294; *bilabiata* 293; *calcarata* 293; *carinata* 293; *contractilis* 294; *cuneistipula* 294; *emergens* 294; *florea* 294; *immersa* 294; *polygona* 294; *renistipula* 294; *subnuda* 294; *tecta* 294
Physaria 150–155, key 151–153; *acutifolia* 150, 151, 153; *brassicoides* 152; *condensata* 150,

151, 153, fig. 154; *didymocarpa* 150, 153, var. *didymocarpa* 153, var. *integrifolia* 153, var. *lanata* 151, 153; **dornii** 150, **151**–155, figs. 152 & 154; *eburniflora* 151–153, fig. 154; *vitulifera* 152
Physiotium: *acinosum* 294; *evolutum* 294
Physocolea diversifolia 284
Picea 375, 377; *engelmannii* 377
Piloselloides 132
Pinaropappus: *foliosus* 200; *roseus* var. *foliosus* 200
Pinus 375; *cembroides* 197; *pseudostrobus* 377; *teocote* 377
PIPOLY, JOHN J., III, Contributions toward a monograph of *Cybianthus* (Myrsinaceae): III. A revision of subgenus *Laxiflorus* 61–80
Pippenalia 2
Pittocaulon 2, 12, 18; *bombycophole* 9, 18, 21
Plagiochila 294–297; *abyssinica* 294; *aequalis* 294; *ambagiosa* 294; *ambigua* 294; *auriculata* 295; *badia* 295; *banksiana* 296; *barteri* 295; *bialata* 295, 296; *ceylanica* 295; *circinalis* 296; *combinata* 295; *debilis* 295; *deflexa* 295; *denticulata* 295; *dicrana* 295; *drepanophylla* 295; *elegans* 295; *falcata* 280; *fimbriata* 295; *firma* 295; *flexuosa* 295; *fruticosa* 295; *furcifolia* 295; *geminifolia* 295; *infuscata* 296; *innovans* 296; *insularia* 296; *integrifolia* 296; *khasiana* 296; *laeta* 296; *lastii* 296; *longispica* 296; *lyalli* 296; *marionensis* 296; *microdictyon* 296; *microdonta* 296; *neckeroidea* 284, 296; *oblongiflora* 296; *ovalifolia* 296; *pacifica* 296; "*prolifer*" 296; *prolifera* 296; *radiculosa* 297; *retusa* 297; *revolvens* 297; *secretifolia* 297; *seemannii* 297; *sinclairii* 297; "*sinuata*" 297; *sinuosa* 297; *spathulaefolia* 297; *squamulosa* 294, 297, var. *sinuata* 297; *stephensoniana* 297; *uniformis* 297; *vitiensis* 297
Plagiochilion: *combinatus* 295; *fimbriata* 295; *oppositus* 295; *prolifer* 296
Platanaceae 93–95, 97
Platanthera 162; *dilatata* 162; *hologlottis* 162; *hyperborea* 162
Platanus 95, 100
Plectocolea: *infusca* 297; *virgata* 297; *vitiensis* 295
Pleistocene: Amblystegiaceae 87–92
Pleurotus hollandianus 372
Pleurozia: *acinosum* 294; *evolutum* 294
Plumeria 227
Poaceae 30–33, 374–378; Aveneae 374–378; Hordeae 30; Triticeae 30–33
Podanthe squamata 280
Podocarpus angustifolius 249
Podomitrium 297
Polygonaceae 28, 29; Eriogonoideae 28, 29
Polyploidy: *Aster occidentalis* 189–196, 353–361
Polyporaceae 369
Polyporus pennsylvanicus 372
Polyscytalum flavum 372
Porella 297; *campylophylla* 291; *gracillima* 297; *plumosa* 291; *polita* 297; *subdentata* 291; *vernicosa* 297; *viridissima* 291
Poria salicina 368, 372
Potamogeton 88
PRANCE, GHILLEAN T., Additions to Neotropical Dichapetalaceae 49–54
———.—book review of *Plant Extinction. A Global Crisis*, by Harold Koopowitz & Hilary Kaye 316
Prestonia 224, 226; *agglutinata* 229, 230
Primula rusbyi 197
Prionolejeunea grata 284, 287
Prosopis juliflora 201
Psacaliopsis 2, 12, 18; *purpusii* 9, 18, 21
Psacalium 2, 11, 13, 18; *silphiifolium* fig. 6, 18, 21; *sinuatum* 9, 13, 14, 18, 21; *tabulare* 9, 19, 21
Pseudogynoxys 2, 19; *berlandieri* 2, 9, 13, 14, 19, 21; *chenopodioides* 19
Pseudotsuga 375
Psiloclada 298; *clandestina* 298
Psilopilum trichodium 289
Psilostrophe: *grandiflora* 200; *tagetina* var. *grandiflorus* 200
Pterandra 41; *isthmica* 40
Pterogonidium 254
Pteryxia hendersonii 157
Ptychanthus striatus 288
Ptychocoleus planiuscula 286
Ptychomnium aciculare 275
Pycnolejeunea convexifolia 283
Quercus 375; *arizonicus* 197; *granatensis* 251
Radula 298; *acuta* 298; *amentulosa* 298; *anceps* 298; *appressa* 298; *bipinnata* 298; *boryana* 298; *buccinifera* 298; *colliculosa* 298; *cordata* 298; *decurrens* 298; *dentifolia* 284; *formosa* 298; *obscura* 298; *pinnulata* 298; *plicata* 298; *scariosa* 298; *speciosa* 298; *spicata* 298; *tamariscina* 298
Range expansion of *Heterotheca camporum* (Compositae: Astereae) in the southeastern United States, by John C. Semple 140–146
Ranunculaceae 156–158
Raphidostegium 311
Re-evaluation of a green-flowered *Asarum* (Aristolochiaceae) from southern Oregon, by Karen L. Lu & Michael R. Mesler 331–334
Relationships among New World species of *Hibiscus* section *Furcaria* (Malvaceae), by Margaret Y. Menzel, Paul A. Fryxell & F. Douglas Wilson 204–221
Revision of *Daiswa* (Trilliaceae), by Armen Takhtajan 255–270
Rhamnus: *blumeri* 200; *californica* subsp. *ursina* 200
Rhaphidorrhynchium 309, 311; *micans* 311; *plectophyllum* 311
Rhaphidostegium: *barnesii* 330; *cataractitis* 328; *orbatum* 329
Rhinotrichum: *bicolor* 372; *nobleriae* 372; *subferruginosum* 372; *sumstinei* 368, 372; *tenerum* 372
Rhipidia 227
Rhodoleia 96
Rhynchocalyx 95
Rhytiglossa pectoralis 364
Riccardia plumosa 298

Riccia crispatula 298
RICHARDSON, P. MICK—book review of *An Introduction to Plant Taxonomy*, 2nd edition, by C. Jeffrey 104
———.—book review of *Micromolecular Evolution, Systematics and Ecology*, by O. R. Gottlieb 313
———.—book review of *Progress in the Chemistry of Organic Natural Products*, volume 42, edited by W. Herz, H. Grisebach & G. W. Kirby 187, 188
ROBERTS, MARVIN L., Allozyme variation in *Bidens discoidea* (Compositae) 239–247
ROGERSON, CLARK T.—book review of *The Filamentous Fungi. Volume II. Biosynthesis and Metabolism*, edited by J. E. Smith and D. R. Berry 158
———.—book review of *Uredinales (Royas) de México*, by H. León Gallegos & George B. Cummins 185
Roldana 2, 11, 12, 15, 17, 19; *angulifolia* fig. 6, 9–11, 19, 21; *chapalensis* 9, 19, 21; *heracleifolia* fig. 4, 9, 19, 21; *heterogama* 9, 19, 21; *schaffneri* 9–11, 19, 21
Rosa arizonica 197
Rumex orthoneurus 200
Saccogyna 298, 299; *australis* 298; *jugata* 299
Saccogynidium: *australe* 299; *decurvum* 290; *rigidulum* 299
Salvia: *carnosa* var. *pilosa* 170; *dorrii* 170, var. *carnosa* 170, var. **incana 170**
Samolus decumbens 200
SAM, STERLING J.—book review of *Ferns and Allied Plants, with Special Reference to Tropical America*, by R. M. & A. F. Tryon 54
Saracha: *procumbens* 200; *sessilis* 200
Sarcandra 93, 96, 97; *glabra* 97, fig. 98; *hainanensis* 97; *irvingbaileyi* 97
Sarcococca 100
Sarcomitrium plumosum 299
Saxifragaceae 94
Scalia: *carnosula* 299; *rotundifolium* 299
Scapania: *contorta* 299; *lepida* 299
Schaueria 362–365; subg. *Angustibracteatae* 365; *azaleaeflora* 364; **calycobractea 362–366**, figs. 363 & 365; *calycotricha* 363–365; *capitata* 365; *decipiens* 364; *linearifolia* 364; *parvifolia* 364; *sulphurea* 365
Schaueria calycobractea (Acanthaceae), a new species from Veracruz, Mexico, by Richard A. Hilsenbeck & Diane L. Marshall 362–366
SCHEID, DAVID T.—book review of *Landscape Plants for Eastern North America Exclusive of Florida and the Immediate Gulf Coast*, by Harrison L. Flint 340
Schiffneriolejeunea tumida 286
Schisandra 93, 96, 99, 100; *chinensis* 99; *glabra* 99
Schisandraceae 93, 97, 99
Schistochila: *carnosa* 280; *ciliata* 280; *thwaitesii* 280
Scoparia 113
Scorpidium: *scorpioides* 87, fig. 90, 91; *turgescens* 88
Scorteus oreades 325
Scorzonera 341
Scrobicaria 12
Scrophularia 112
Scrophulariaceae 111–114, 232–238; Scrophularioideae 111; Angeloneae; Hemimeridae 112
SEAMAN, FRED C.—book review of *The Organic Constituents of Higher Plants: Their Chemistry and Interrelationships*, Fifth edition, by Trevor Robinson 312, 313
Sedum: *stelliforme* 200; *topsentii* 200
Selenipedium 161
Selleophytum 147
Sematophyllaceae 253, 309–311, 327–330
Sematophyllum 309–311, 327–330; *amnigenum* 327, 330; **apaloblastum** 327, **330**; **barnesii** 327, **330**; *caespitosum* 309, 310, 328; **cataractae** 327, **328**, 329; *cochleatum* 327, 329, 330; **cubense 327–329**, fig. 328; *galipense* 309, 327, 330; *lamprophyllum* 309, 310; **oedophysidium** 327, **329**, 330; *sericifolium* 309, 310; *subpinnatum* 309, 310, 327–330
SEMPLE, JOHN C., Range expansion of *Heterotheca camporum* (Compositae: Astereae) in the southeastern United States 140–146
Sendtnera 296; *attenuata* 278, 299; *diclados* 290; *juniperina* 288
Senecio 1–22; subg. *Pseudogynoxys* 2; sect. *Amplectentes* 17; sect. *Annui* 20; sect. *Aurei* 20; sect. *Cineraria* 18; sect. *Fruticosi* 12, 19; sect. *Incani* 20; sect. *Multinervii* 20; sect. *Palmatinervii* 1; sect. *Pseudogynoxys* 19; sect. *Streptothamni* 2, 18; sect. *Suffruticosi* 20; sect. *Terminales* 12, 18, 20; *albo-lutescens* 18; *amplectens* 2, 17; *angulifolius* 19; *arborescens* 20; *aureus* 2, 18; *blumeri* 200; *bombycopholis* 18; *calophyllus* 18; *chapalensis* 19; *chenopodioides* 19; *cineraria* 1–22, figs. 4, 6 & 7; *cobanensis* 20; *confusus* 2, 19; *douglasii* 2, 9, 13, 20, 22; *grandifolius* 20; *heracleifolius* 19; *heterogamus* 19; *jatrophoides* 17; *megaphyllus* 2, figs. 4 & 7, 9, 13, 14, 20, 22; *muehlenbergii* 17; *napeaefolium* 17; *neomexicanus* 200; *oerstedianus* 2, figs. 5 & 6, 9, 13, 14, 20, 22; *parasiticus* 2, 18; *purpusii* 18; *salignus* 17; *schaffneri* 19; *standleyi* 20; *tabularis* 19; *vulgaris* 2, 9, 13, 14, 20, 22
Sequoia 162
Sertum antillanum 224
Sicyos 34–36; *angulata* 36; *chiriquensis* 34–36; *deppei* 36; *microphylla* 36; **motozintlensis 34–36**, fig. 35
Sinacalia 13, 14
Sinosenecio 12
Sisymbrium canescens 199
Sitanion 30, 31
Skytanthus 222, 226, 228
SLAVICK, ALLISON—book review of *Fifth International Exhibition of Botanical Art and Illustration*, edited by James D. White & Donald E. Wendel 334
SMITH, EDWIN B., A new variety of *Coreopsis californica* (Compositae) endemic to Arizona 164–169

———, Transfer of *Coreopsis congregata* (Compositae: Heliantheae) to *Coreocarpus* 147–149
SMITH, PAUL G. See Eshbaugh, Smith & Nickrent 55–60
Solanaceae 55–60
Solenostoma 299; *radicellosum* 299
South America: *Fabronia* 248–254; *Monopera* 111–114
Sphagnocetis gracile 299
Spiranthes 120–125; *cernua* 122; *hongkongensis* 120; *ovalis* 120–125, map 123, var. **erostellata** 120–125, **123**, figs. 121 & 122, map 123, var. *ovalis* fig. 121, 123, map 123; *sinensis* 120; *spiralis* 120
Spiranthes ovalis var. *erostellata* (Orchidaceae), a new autogamous variety from the eastern United States, by Paul M. Catling 120–125
Spiridens 283
Sprucella succida 289
Steetzia: *ambigua* 299; *decipiens* 299
Stephanopodium 49, 53; *angulatum* 53; *aptotum* 53; *blanchetianum* 53; *engleri* 53; *estrellense* 53; *organense* 53; *peruvianum* 52, 53; *sessile* 53; *venezuelanum* 53
Sticta carpoloma 279
Stictolejeunea balfourii 283
Stomatotypes 93–102
STRACHAN, JEFFREY L., Notes concerning an application of the Sydney code of botanical nomenclature to *Salvia dorrii* (Lamiaceae) 170
Streblacanthus 364; *chirripensis* 364; *parviflorus* 364
Strepsilejeunea khasiana 285
Streptothrix: *mounceae* 372; *pereffusa* 372
STUTTS, JOHN G., A new name in *Vernonia* (Compositae) 351, 352
Sumstine, David R. 367, 368
Sycopsis 96
Symbiezidium cryptocarpa 283
Symphyogyna: *flabellatum* 290; *serrata* 299; *subsimplex* 299
Synopsis of *Marasmius* section *Globulares* (Tricholomataceae) in the United States, by Roy E. Halling 317–326
Synopsis of the South American taxa of *Fabronia* (Fabroniaceae), by William R. Buck 248–254
Syrrhopodon 288
Systematic revision of *Anechites* (Apocynaceae), by Mary E. Fallen 222–231
Syzygiella geminifolia 281
Takakia ceratophylla 289
TAKHTAJAN, ARMEN, A revision of *Daiswa* (Trilliaceae) 255–270
Tapura 49–54, key 49 & 50; *acreana* 50, 53; *amazonica* 49, 50, var. *amazonica* 53, var. *manausensis* 53; *bullata* 50, 53; *capitulifera* 50, 53; *colombiana* 50, 53; *coriacea* 49, 53; *costata* 50–53; *cubensis* 49, 50, subsp. *cubensis* 51–53, subsp. *minor* 53; *ferreyrae* 49, 53; *guianensis* 50, 53; *haitiensis* 49, 53; *juliani* 49, 53; *juruana* 49, 53; *lanceolata* 49, 50, 53; *latifolia* 49, 53; *mexicana* 50–53; *orbicularis* 49, 53; **panamensis** 49, **50–53**, fig. 51; *peruviana* 49, 50, var. *peruviana* 53, var. *petioliflora* 53; *singularis* 49, 53; *tessmannii* 50, 53
Taxithelium 254
Taxodium 162
Taxonomic status of *Hibiscus* (sect. *Furcaria*) *berberidifolius* A. Rich. (Malvaceae), by F. Douglas Wilson 175–179
Taxus 375
Telanthophora 2, 13, 20; *arborescens* fig. 4, 9, 13, 14, 20, 22; *cobanensis* fig. 8, 9, 13, 14, 20, 22; *grandifolia* 9, 20, 22; *standleyi* 9, 20, 22
Teliomycetidae 367
Temnoma 299; *quadrifidum* 282
Tephroseris 12
Tetracentraceae 93, 95, 97, 99
Tetracentron 95, 99
Tetrathyrium 96
Thalictrum 156–158; *fendleri* 156, 157; **heliophilum 156**, 157, fig. 157
Thelesperma 147
Thevetia 228
THIERS, BARBARA M., Index to the genera and species of Hepaticae described by William Mitten 271–300
———, Type studies in the Lejeuneaceae. II. *Pteryganthus*, a new subgenus of *Lopholejeunea* 81–86
———, DENNIS DESJARDIN & ANDREW S. METHVEN, The fungus herbarium of the Carnegie Museum of Natural History (CM), Pittsburgh, Pennsylvania 367–373
Three new Mesoamerican species of *Miconia* (Melastomataceae), by Frank Almeda 42–48
Three new species of *Bauhinia* (Fabaceae) from Ecuador, by Richard P. Wunderlin 335–340
Three new species of *Begonia* (Begoniaceae) from Mexico, by Kathleen Burt-Utley 115–119
Thyrsanthema: *ehrenbergii* 128; *seemannii* 127
Thysananthus: *fruticosus* 275, 287; *triquetra* 288; "*vittata*" 275
TIEHM, ARNOLD. See Ertter & Tiehm 28, 29
Toruloidea: *effusa* 372; *unangstii* 372
Tourneuxia 341
Tragopogon 341–350, figs. 342 & 343; *angustissimus* 341, 346; *balcanicus* 345–347, 349; *bornmuelleri* 345, 347, 349; *brevirostris* 345, 347, 349; *bupthalmoides* 347, 350; *castellanus* fig. 343, 347, 350; *coelesyriacus* 341, 343, 345–347, 349; *coloratus* 342, 346, 347, 349; *crocifolius* 345–347, 349; *dubius* 342, 345–347, 349; *floccosus* 345, 346, 349; *graminifolius* 345, 346, 349; *kindingeri* fig. 343, 347, 350; *latifolius* 342, fig. 343, 344, 347, 350; *longifolius* fig. 343, 347, 350; *longirostris* 341, 343, 347; *major*, 347; *olympicus* 347; *orientalis* 343, 346, 347, 349; *porrifolius* 343–345, 347, 349; *pratensis* 343–347, 350; *pterodes* 346, 347, 350; *rechingeri* 345, 347, 349; *reticulatus* fig. 343, 345, 349; *ruthenicus* fig. 343, 347, 350; *samaritani* 345–347, 350; *sinuatus* 345, 346, 350; *stenophyllus* fig. 343, 345, 346, 350; *tommasinii* fig. 343, 345–347, 350; *vaginatus* fig. 343, 345, 349; *vvedenskyi* 341, 346, 350

Transfer of *Coreopsis congregata* (Compositae: Heliantheae) to *Coreocarpus*, by Edwin B. Smith 147–149
Trichocline 132
Trichocoleopsis sacculata 275
Tricholomataceae 317–326, 369
Trichomanes 288, 298; *javanicarum* 286
Trichosteleum 309; **lamprophyllum 310**
Trilliaceae 255–270
Trillium ovatum 333
Trisetum 374–378, key to Mexican spp. 374 & 375; **curvisetum** 374, **375**–378, key 374, fig. 376; *deyeuxioides* key 374, var. *pubescens* key 374; *filifolium* key 374; *interruptum* var. *californicum* key 374; *irazuense* key 374; *mexicanum* key 374; *palmeri* key 375; *pringlei* key 374; *rosei* key 374; *spicatum* key 374; *viride* key 374; *virletii* key 375
Trisetum curvisetum (Poaceae: Aveneae), a new species from Mexico, by Clifford W. Morden & Jesús Valdés-Reyna 374–378
Trochodendraceae 93, 95, 97, 99
Trochodendron 95, 98, 99, 100
Trocholejeunea: *infuscata* 285, 287; *sandvicensis* 294
Two new species of Leguminosae from serpentine of Humboldt County, California, by Thomas W. Nelson & Jane P. Nelson 180–183
Two pairs of vicarious species of *Cypripedium* (Orchidaceae) from eastern Asia and eastern North America, by Chen Sing-chi 159–163
Tylimanthus 299; *viridis* 299
Type studies in the Lejeuneaceae. II. *Pterygan-thus*, a new subgenus of *Lopholejeunea*, by Barbara M. Thiers 81–86
Uechtritzia 132
United States: *Heterotheca camporum* 140–146; *Marasmius* sect. *Globulares* 317–326; *Spiranthes ovalis* var. *erostellata* 120–125
Vaccinium 333
Vaginata umbonata 372
VALDÉS-REYNA, JESÚS. See Morden & Valdés-Reyna 374–378
Vancouveria hexandra 333
Verbascum 112
Vernonia 351, 352; subsect. *Chamaedrys* 351; *crassa* 351; **elsieae 351**; *rigiophylla* 351; *teres* 351
Vicia: *americana* 200; *hypolasia* 200
Wallenia 61; *laxiflora* 75
West Indies: Sematophyllaceae 309–311
WETTER, MARK ALLEN—book review of *Agaves of Continental North America*, by Howard Scott Gentry 314, 315
———.—book review of *Sunflower Species of the United States*, by C. E. Rogers, T. E. Thompson & G. J. Seiler 313, 314
———, Micromorphological characters and generic delimitation of some New World Senecioneae (Asteraceae) 1–22
Wiesnerella denudata 277
Wild ginger 331
WILKEN, DIETER H. & KIRBY DEMOTT, A new species of *Thalictrum* (Ranunculaceae) from western Colorado 156–158
WILSON, F. DOUGLAS, Karyotypes of *Tragopogon* (Compositae: Lactuceae) 341–350
———. See Menzel, Fryxell & Wilson 204–221
———, The taxonomic status of *Hibiscus* (sect. *Furcaria*) *berberidifolius* A. Rich. (Malvaceae) 175–179
Winteraceae 99
WUNDERLIN, RICHARD P., Three new species of *Bauhinia* (Fabaceae) from Ecuador 335–340
Wyoming: *Physaria* 150–155
Xanthium 245
Xenochila integrifolia 296
Yucca angustissima 110
Zygomycetes 367, 368, 372

Statement of Ownership, Management, and Circulation

Publication title and number: *Brittonia* (0007196X). Date of filing: 27 September 1983. Frequency of issue: quarterly. Annual subscription price: $35.00. Office of publisher: New York Botanical Garden, Bronx NY 10458. Editor and managing editor: Noel H. Holmgren. *Brittonia* is wholly owned by the New York Botanical Garden with no bond holders. The purpose, function, and nonprofit status of the Garden and its tax exempt status for Federal income tax purposes remains the same as in past years. The press run for each issue is 1200, of which (just prior to the filing date) 844 copies were mailed as paid circulation, and 12 were mailed as free distribution, leaving 344 copies for office use and back-issue sales. I certify that these statements are correct and complete. Noel H. Holmgren, Editor.